

PRODUCT REFERENCE

Sheep milk.

Three stages. One range.

Spanish sheep milk source.

Manufactured in the Republic of Korea by HAM Co., Ltd.

**STAGE 1**

0–6 months

Infant Formula

**STAGE 2**

6–12 months

Older Infants Sheep Milk Powder

**STAGE 3**

12–36 months

Young Children Sheep Milk Powder

800 g per can

24 months labelled shelf life

Complete ingredient declarations and stage-specific nutrition values, translated from the product information supplied for this website.

Business contact: BEKARI International, operated by Weichao Liu.

Manufacturer: HAM Co., Ltd., Republic of Korea.

For initial product evaluation. Destination-market labels, import eligibility, availability and commercial terms require confirmation before an order is accepted. This document is not a certificate or a market approval.

STAGE 1 · 0–6 months

Infant Formula

800 g / Overseas Edition

Country of origin	Republic of Korea
Manufacturer	HAM Co., Ltd.
Labelled shelf life	24 months
Milk source	Spanish sheep milk

**FULL INGREDIENT DECLARATION**

Demineralised sheep whey, vegetable oils (corn oil, low-erucic rapeseed oil, coconut oil, sunflower oil, soybean oil), 1,3-dioleoyl-2-palmitoylglycerol (OPO), whole sheep milk powder, fructooligosaccharides (FOS), phospholipids, vitamin A (retinyl acetate), vitamin D3 (cholecalciferol), vitamin E (dl- α -tocopheryl acetate), vitamin K1 (phylloquinone), vitamin B1 (thiamine hydrochloride), vitamin B2 (riboflavin), vitamin B6 (pyridoxine hydrochloride), vitamin B12 (cyanocobalamin), vitamin C (L-sodium ascorbate), niacinamide, pantothenic acid (D-calcium pantothenate), folic acid, biotin (D-biotin), ferrous sulfate, manganese sulfate, potassium iodate, copper sulfate, zinc sulfate, sodium selenite, magnesium sulfate, calcium carbonate, sodium citrate, tricalcium phosphate, potassium carbonate, potassium chloride, choline chloride, inositol, L-carnitine, arachidonic acid (ARA), docosahexaenoic acid (DHA), lutein, Bifidobacterium animalis Bb-12, Bifidobacterium lactis HN019.

READING THE LABEL

The label declares added Bb-12 and HN019 at $\geq 1.2 \times 10^6$ CFU/g each. This is an added-amount declaration, not a count guaranteed throughout shelf life.

Milk and soybean ingredients appear in the declarations. Check the actual product packaging for allergen information. For allergy or infant feeding questions, consult a qualified healthcare professional.

STORAGE & FEEDING INFORMATION

Store in a cool, dry place. Check the batch and best-before information on the base of the can. Supplied labels state to use powder within one month of opening, feed immediately after preparation and discard leftover milk.

Breastfeeding is the best way to feed a baby. Powdered infant formula is not sterile. Follow the instructions on the product received and local public-health guidance. This reference is not a complete preparation procedure.

[View complete product information](#)

Stage 1 • Declared nutrition values

Per 100 kJ and per 100 g of powder

Nutrient	Unit	Per 100 kJ	Per 100 g
Energy	kJ	100	2104
Protein	g	0.46	9.7
Fat	g	1.18	24.9
Linoleic acid	g	0.15	3.07
α-Linolenic acid	mg	15.1	317
Carbohydrate	g	2.77	58.3
Vitamin A	µg RE	17.1	360
Vitamin D	µg	0.30	6.40
Vitamin E	mg α-TE	0.15	3.06
Vitamin K1	µg	1.21	25.5
Vitamin B1	µg	16.9	356
Vitamin B2	µg	23.3	491
Vitamin B6	µg	10.7	225
Vitamin B12	µg	0.03	0.66
Niacin / nicotinamide	µg	85.1	1790
Folic acid	µg	3.05	64.2
Pantothenic acid	µg	119	2500
Vitamin C	mg	3.08	64.8
Biotin	µg	0.50	10.5
Sodium	mg	5.75	121
Potassium	mg	17.1	360
Copper	µg	10.2	215
Magnesium	mg	1.44	30.2
Iron	mg	0.12	2.60
Zinc	mg	0.14	3.03
Manganese	µg	1.46	30.8
Calcium	mg	15.0	316
Phosphorus	mg	9.55	201
Iodine	µg	3.00	63.1
Chloride	mg	14.3	301
Selenium	µg	0.58	12.2
Choline	mg	2.06	43.3
Inositol	mg	1.19	25.0
L-carnitine	mg	0.37	7.80
DHA	% of total fatty acids	0.21	0.21
ARA	% of total fatty acids	0.23	0.23
Fructooligosaccharides (FOS)	g	0.15	3.15
OPO	g	0.16	3.30
Lutein	µg	1.78	37.5

DHA and ARA are expressed as a percentage of total fatty acids. RE means retinol equivalents; α-TE means alpha-tocopherol equivalents. OPO means 1,3-di-oleoyl-2-palmitoylglycerol. Values apply to powder, not prepared milk.

Product declarations apply to the supplied overseas product information. Check the stage, edition, batch and packaging of the product received; market versions may differ.

STAGE 2 · 6–12 months

Older Infants Sheep Milk Powder

800 g / Overseas Edition

Country of origin	Republic of Korea
Manufacturer	HAM Co., Ltd.
Labelled shelf life	24 months
Milk source	Spanish sheep milk

**FULL INGREDIENT DECLARATION**

Demineralised sheep whey, whole sheep milk powder, 1,3-dioleoyl-2-palmitoylglycerol (OPO), fructooligosaccharides (FOS), soybean oil, vegetable oils (corn oil, low-erucic rapeseed oil, coconut oil, sunflower oil, soybean oil), phospholipids, vitamin A (retinyl acetate), vitamin D3 (cholecalciferol), vitamin E (dl- α -tocopheryl acetate), vitamin K1 (phylloquinone), vitamin B1 (thiamine hydrochloride), vitamin B2 (riboflavin), vitamin B6 (pyridoxine hydrochloride), vitamin B12 (cyanocobalamin), vitamin C (L-sodium ascorbate), niacinamide, pantothenic acid (D-calcium pantothenate), folic acid, biotin (D-biotin), ferrous sulfate, manganese sulfate, potassium iodate, copper sulfate, zinc sulfate, sodium selenite, magnesium sulfate, calcium carbonate, sodium citrate, tricalcium phosphate, potassium carbonate, potassium chloride, choline chloride, inositol, L-carnitine, docosahexaenoic acid (DHA), lutein, Bifidobacterium animalis Bb-12, Bifidobacterium lactis HN019.

READING THE LABEL

The label declares added Bb-12 and HN019 at $\geq 1.2 \times 10^6$ CFU/g each. This is an added-amount declaration, not a count guaranteed throughout shelf life.

Milk and soybean ingredients appear in the declarations. Check the actual product packaging for allergen information. For allergy or infant feeding questions, consult a qualified healthcare professional.

STORAGE & FEEDING INFORMATION

Store in a cool, dry place. Check the batch and best-before information on the base of the can. Supplied labels state to use powder within one month of opening, feed immediately after preparation and discard leftover milk.

Breastfeeding is the best way to feed a baby. Powdered infant formula is not sterile. Follow the instructions on the product received and local public-health guidance. This reference is not a complete preparation procedure.

[View complete product information](#)

Stage 2 • Declared nutrition values

Per 100 kJ and per 100 g of powder

Nutrient	Unit	Per 100 kJ	Per 100 g
Energy	kJ	100	2024
Protein	g	0.72	14.5
Fat	g	1.12	22.6
Linoleic acid	g	0.09	1.76
Carbohydrate	g	2.66	53.8
Vitamin A	µg RE	22.2	450
Vitamin D	µg	0.31	6.27
Vitamin E	mg α-TE	0.19	3.76
Vitamin K1	µg	1.24	25.1
Vitamin B1	µg	13.5	274
Vitamin B2	µg	14.2	287
Vitamin B6	µg	13.3	270
Vitamin B12	µg	0.05	1.03
Niacin / nicotinamide	µg	138	2790
Folic acid	µg	1.74	35.1
Pantothenic acid	µg	87.5	1772
Vitamin C	mg	2.23	45.2
Biotin	µg	0.50	10.2
Sodium	mg	6.67	135
Potassium	mg	22.5	456
Copper	µg	8.89	180
Magnesium	mg	1.75	35.4
Iron	mg	0.31	6.30
Zinc	mg	0.12	2.51
Calcium	mg	21.5	435
Phosphorus	mg	14.0	284
Iodine	µg	1.79	36.2
Chloride	mg	6.13	124
Choline	mg	2.10	42.5
Manganese	µg	0.31	6.28
Inositol	mg	1.24	25.1
L-carnitine	mg	0.38	7.59
DHA	% of total fatty acids	0.21	0.21
Fructooligosaccharides (FOS)	g	0.16	3.15
OPO	g	0.12	2.50
Lutein	µg	8.05	163

DHA is expressed as a percentage of total fatty acids. RE means retinol equivalents; α-TE means alpha-tocopherol equivalents. OPO means 1,3-dioleoyl-2-palmitoylglycerol. Values apply to powder, not prepared milk.

Product declarations apply to the supplied overseas product information. Check the stage, edition, batch and packaging of the product received; market versions may differ.

STAGE 3 · 12–36 months

Young Children Sheep Milk Powder

800 g / Overseas Edition

Country of origin	Republic of Korea
Manufacturer	HAM Co., Ltd.
Labelled shelf life	24 months
Milk source	Spanish sheep milk

**FULL INGREDIENT DECLARATION**

Demineralised sheep whey, whole sheep milk powder, 1,3-dioleoyl-2-palmitoylglycerol (OPO), fructooligosaccharides (FOS), soybean oil, vegetable oils (corn oil, low-erucic rapeseed oil, coconut oil, sunflower oil, soybean oil), phospholipids, vitamin A (retinyl acetate), vitamin D3 (cholecalciferol), vitamin E (dl- α -tocopheryl acetate), vitamin K1 (phyloquinone), vitamin B1 (thiamine hydrochloride), vitamin B2 (riboflavin), vitamin B6 (pyridoxine hydrochloride), vitamin B12 (cyanocobalamin), vitamin C (L-sodium ascorbate), niacinamide, pantothenic acid (D-calcium pantothenate), folic acid, biotin (D-biotin), ferrous sulfate, manganese sulfate, potassium iodate, copper sulfate, zinc sulfate, sodium selenite, magnesium sulfate, calcium carbonate, sodium citrate, tricalcium phosphate, potassium carbonate, potassium chloride, choline chloride, inositol, L-carnitine, docosahexaenoic acid (DHA), Bifidobacterium animalis Bb-12, Bifidobacterium lactis HN019.

READING THE LABEL

The label declares added Bb-12 and HN019 at $\geq 1.2 \times 10^6$ CFU/g each. This is an added-amount declaration, not a count guaranteed throughout shelf life.

Milk and soybean ingredients appear in the declarations. Check the actual product packaging for allergen information. For allergy or infant feeding questions, consult a qualified healthcare professional.

STORAGE & FEEDING INFORMATION

Store in a cool, dry place. Check the batch and best-before information on the base of the can. Supplied labels state to use powder within one month of opening, feed immediately after preparation and discard leftover milk.

Breastfeeding is the best way to feed a baby. Powdered infant formula is not sterile. Follow the instructions on the product received and local public-health guidance. This reference is not a complete preparation procedure.

[View complete product information](#)

Stage 3 • Declared nutrition values

Per 100 kJ and per 100 g of powder

Nutrient	Unit	Per 100 kJ	Per 100 g
Energy	kJ	100	2038
Protein	g	0.74	15.0
Fat	g	1.14	23.3
Linoleic acid	g	0.09	1.78
Carbohydrate	g	2.58	52.6
Vitamin A	µg RE	22.7	463
Vitamin D	µg	0.31	6.36
Vitamin E	mg α-TE	0.19	3.81
Vitamin K1	µg	1.24	25.3
Vitamin B1	µg	13.8	282
Vitamin B2	µg	14.7	300
Vitamin B6	µg	13.5	276
Vitamin B12	µg	0.05	1.04
Niacin / nicotinamide	µg	137	2790
Folic acid	µg	1.25	25.5
Pantothenic acid	µg	87.9	1791
Vitamin C	mg	2.24	45.7
Biotin	µg	0.51	10.3
Sodium	mg	6.92	141
Potassium	mg	22.3	454
Copper	µg	8.83	180
Magnesium	mg	1.76	35.9
Iron	mg	0.32	6.43
Zinc	mg	0.12	2.50
Calcium	mg	21.1	430
Phosphorus	mg	13.3	272
Iodine	µg	1.77	36.0
Chloride	mg	6.04	123
Choline	mg	2.09	42.6
Manganese	µg	0.32	6.43
Inositol	mg	1.23	25.1
L-carnitine	mg	0.37	7.63
DHA	% of total fatty acids	0.21	0.21
Fructooligosaccharides (FOS)	g	0.15	3.15
OPO	g	0.12	2.50

DHA is expressed as a percentage of total fatty acids. RE means retinol equivalents; α-TE means alpha-tocopherol equivalents. OPO means 1,3-dioleoyl-2-palmitoylglycerol. Values apply to powder, not prepared milk.

Product declarations apply to the supplied overseas product information. Check the stage, edition, batch and packaging of the product received; market versions may differ.